



A		B	
Stroke Hub	Extended length Ausgesch. Länge	Force / Kraft F ₁ [N]	Ref.-No. Bestell-Nr.
60	205	500	084018
		600	084026
	205,5	700	084034
		800	094684
80	245	500	084093
		600	084107
	245,5	700	084115
		800	094692
100	285	500	084174
		600	084182
	285,5	700	084190
		800	094706
120	325	500	084247
		600	094714
	325,5	700	084263
		800	094722
140	365	400	084352
		500	084360
		600	084379
	365,5	700	084387
		800	094749
		160	405
150	094765		
200	084409		
250	094773		
300	084417		
350	094781		
400	084425		
500	084476		
600	084484		
405,5	700		084492
	800	094757	
	180	445	100
150			094803
200			084514
250			094811
300			084522
350			094838
400			086363
500		084549	
600		084557	
445,5		700	084565
	800	094846	

A		B	
Stroke Hub	Extended length Ausgesch. Länge	Force / Kraft F ₁ [N]	Ref.-No. Bestell-Nr.
200	485	100	084573
		150	094854
		200	084581
		250	094862
		300	084603
		350	094870
	485,5	400	084611
		500	084638
		600	084646
		700	084654
220	525	800	094889
		100	084662
		150	094897
		200	084670
		250	094900
		300	084689
		350	094919
	525,5	400	084697
		500	084700
		600	084719
250	585	700	084727
		800	094927
		100	084735
		150	094935
		200	084743
		250	094943
		300	084751
	585,5	350	094951
		400	084778
		500	084786
700	600	084794	
	800	084808	
800	700	084808	
	800	094978	



LIFT-O-MAT®





Suitable for ball studs according to DIN 71803 Ø10
 Passend für Kugelzapfen nach DIN 71803 Ø10


A	B	Force / Kraft F _i [N]		
			1 Ref.-No. Bestell-Nr.	2 Ref.-No. Bestell-Nr.
60	205	500	2616NQ	094471
		600	2617NL	083240
		700	2618NG	083259
		800	2619NB	094412
80	245	100	752614	447609
		150	752622	466441
		200	1417EP	381926
		250	752630	287806
		300	1418EK	368237
		350	1419EF	550817
		400	752649	278076
		500	752657	083305
		600	752665	083313
		700	2622ND	083321
800	2623NZ	094420		
100	285	100	752673	321400
		150	752681	0927SH
		200	1421EM	315826
		250	752703	150344
		300	1422EH	632600
		350	1423EC	462047
		400	752711	709492
		500	752738	083380
		600	752746	083399
		700	2624NU	083402
800	2625NP	094439		

A	B	Force / Kraft F _i [N]		
			1 Ref.-No. Bestell-Nr.	2 Ref.-No. Bestell-Nr.
120	325	100	752754	253308
		150	752762	265802
		200	1424EY	3008AM
		250	752770	244880
		300	1425ET	377007
		350	1426EO	510599
		400	752789	684872
		500	752797	094498
		600	752800	083461
		700	2626NK	083488
140	365	800	2627NF	094447
		100	711506	177032
		150	711745	287814
		200	031970	630896
		250	033973	253723
		300	2819WF	3579UR
		350	711984	152495
		400	2628NA	083534
		500	2629NW	083542
		600	2631NC	083550
700	2632NY	083569		
800	2633NT	094455		

A		B			
Stroke Hub	Extended length Ausgesch. Länge	Force / Kraft F ₁ [N]	1 Ref.-No. Bestell-Nr.	2 Ref.-No. Bestell-Nr.	
160	405	100	752819	083577	
		150	752827	095621	
		200	1427EJ	083585	
		250	752835	095648	
		300	1428EE	083593	
		350	1431EG	095656	
		400	752843	083607	
		500	752851	083615	
		600	752878	083623	
		700	2634NO	083631	
800	2635NJ	094463			
180	445	100	2636NE	083658	
		150	2638NV	094501	
		200	2639NQ	083666	
		250	2641NX	094528	
		300	2642NS	083674	
		350	2643NN	094536	
		400	2644NI	083682	
		500	2645ND	083690	
		600	2646NZ	083704	
		700	2647NU	083712	
800	2648NP	094544			
200	485	100	752886	083720	
		150	752894	094552	
		200	1432EB	083739	
		250	752908	094560	

A		B			
Stroke Hub	Extended length Ausgesch. Länge	Force / Kraft F ₁ [N]	1 Ref.-No. Bestell-Nr.	2 Ref.-No. Bestell-Nr.	
200	485	300	1433EX	083747	
		350	1434ES	094579	
		400	752916	083755	
		500	752924	083763	
		600	752932	083771	
		700	2649NK	083798	
		800	2651NR	094587	
		220	525	100	2652NM
150	2653NH			094595	
200	2654NC			083828	
250	2655NY			094609	
300	2656NT			083836	
350	2657NO			094617	
400	2658NJ			083844	
500	2659NE			083852	
600	2661NL			083860	
700	2662NG			083879	
800	2663NB	094625			
250	585	100	752940	083887	
		150	752959	094633	
		200	1435EN	083895	
		250	752967	094641	
		300	1436EI	083909	
		350	1437ED	094668	
		400	752975	083917	
		500	752983	083925	
		600	752991	083933	
		700	2664NX	083941	
800	2665NS	094676			





K1 Protection tube, 10 mm stroke reduction
Schutzrohr, 10 mm Hubreduzierung

Plastics / Kunststoff Ø22,5

S1

K3 Locking tube, 25 mm stroke reduction
Arretierrohr, 25 mm Hubreduzierung

Metal / Metall Ø24 Ø27

S2

A		B	
Stroke Hub	Extended length Ausgesch. Länge	Force Kraft F ₁ [N]	Ref.-No. Bestell-Nr.
50	154	*	697567
75	204	*	9997RF
100	255	*	697605
125	304	*	9998RA
150	356	*	697656
175	404	*	9999RW
200	462	*	697699
225	504	*	2379SU
250	560	*	697737

* F₁-Values from 100 - 900 N in steps of 25 N
* F₁-Werte von 100 - 900 N, gestaffelt in 25 N-Schritten

Ordering example / Bestell-Beispiel								
123456	/	0350N	/	K2	/	D1	/	S1
Ref.-No. Bestell-Nr.		F ₁		Piston rod end fitting Kolbenstangen-Anschluss		Pressure tube end fitting Druckrohr-Anschluss		Optional tube Optionales Rohr

Installation according to STAB-Spec. 10005630 / Montage nach STAB-Spec. 10005630

We reserve the right to make modifications. Dimensions in mm.
Änderungen vorbehalten. Maßangaben in mm.

