



R4 Rotary Latch

Medium-Duty - Tool / Key Actuated

- Tool or key operation
- High cycle life
- Meets tool access standard

Material and Finish

Housing, trigger, actuator, pivot pin: Steel, zinc plated, or black zinc nickel plated




Accessories

Standard head style keys see page 121
Heavy duty head style key see page 297C
Striker options see page 297C

Notes

Electromechanical rotary latch available see page 20

Standard Head Styles



(WW = 00 Shown)

WW Standard Head Styles

00 Slotted recess	01 8 (.32) Hex recess	02 7 (.28) Triangle	03 8 (.32) Triangle	04 7 (.28) Square	05 8 (.32) Square	06 3 (.11) Double bit
07 5 (.19) Double bit	08 8 (.32) Square recess	13 Bellcore 216	15 9 (.32) Triangle	19 Bellcore electronics	21 Recessed Slot	22 Railway standard

Part Number Selection

R4 - 15 - 10 - WW0 - XX

WW Actuation Style	XX Latch finish
	10 Zinc plated
	15 Black zinc nickel plated

Dimensions in millimeters (inch) unless otherwise stated



R4 Rotary Latch

Medium-Duty - Tool / Key Actuated

- Tool or key operation
- High cycle life
- Meets tool access standard

Material and Finish


Housing, trigger, actuator, pivot pin: Steel, zinc plated, or black zinc nickel plated

Accessories

Standard head style keys
see page 121


Notes

Electromechanical rotary latch
available see page 20




Key for Heavy Duty Head Styles		
Part Number	Material	Finish
R4-64-500-10	Zamak	Zinc plated
R4-64-500-15	Zamak	Black zinc nickel

Striker Bolt



Part Number	Thread	Material	Finish
R4-90-514-10	1/4-28 UNF	Steel	Zinc plated
R4-90-524-10	M6 x 1	Steel	Zinc plated
R4-90-514-15	1/4-28 UNF	Steel	Black zinc nickel
R4-90-524-15	M6 x 1	Steel	Black zinc nickel

Wire Form Strikers



Part Number	Description	Material	Finish
R4-90-1504-10	U-Striker assembly, Perpendicular mount	Steel	Zinc plated
R4-90-1504-15	U-Striker assembly, Perpendicular mount	Steel	Black zinc nickel
R4-90-1506-10	U-Striker assembly, Parallel mount	Steel	Zinc plated
R4-90-1506-15	U-Striker assembly, Parallel mount	Steel	Black zinc nickel